

Exhibit A

Health Screening Tool (Comprised of 1 page not including this page)

Exhibit B

Georgia Department of Public Health Cleaning Guidance for COVID-19

(Comprised of 2 pages not including this page)

Cleaning Guidance for COVID-19

Current evidence suggests that novel coronavirus may remain viable for hours to days on surfaces made from a variety of materials. Cleaning of visibly dirty surfaces followed by disinfection is a best practice measure for prevention of COVID-19 and other viral respiratory illnesses in households and community settings.

Cleaning Guidance

You may practice routine cleaning of frequently touched surfaces (for example: tables, doorknobs, light switches, handles, desks, toilets, faucets, sinks) with household cleaners and EPA-registered disinfectants that are appropriate for the surface. Be sure to follow the instructions on the label.

How to Clean and Disinfect

Hard Surfaces

Wear disposable gloves when cleaning and disinfecting surfaces. Gloves should be discarded after each cleaning. Consult the manufacturer's instructions for cleaning and disinfection products used. Clean hands immediately after gloves are removed. If surfaces are dirty, they should be cleaned using a detergent or soap and water prior to disinfection. For disinfection, diluted household bleach solutions, alcohol solutions with at least 70% alcohol, and most common EPA-registered household disinfectants should be effective.

Soft Surfaces

For soft (porous) surfaces such as carpeted floor, rugs, and drapes, remove visible contamination if present and clean with appropriate cleaners indicated for use on these surfaces. After cleaning: launder items as appropriate in accordance with the manufacturer's instructions. If possible, launder items using the warmest appropriate water setting for the items and dry items completely, or use products with the EPA-approved emerging viral pathogens claims (see: <https://www.americanchemistry.com/Novel-Coronavirus-Fighting-Products-List.pdf>) that are suitable for porous surfaces.

Clothing, Towels, Linens, etc.

Wear disposable gloves when handling dirty laundry from an ill person and then discard after each use. If using reusable gloves, those gloves should be dedicated for cleaning and disinfection of surfaces for COVID-19 and should not be used for other household purposes.

Cleaning refers to the removal of germs, dirt and impurities from surfaces. Cleaning does not kill germs, but by removing them, it lowers their numbers and the risk of spreading infection.

Disinfecting refers to using chemicals to kill germs on surfaces. This process does not necessarily clean dirty surfaces or remove germs, but by killing germs on a surface *after* cleaning, it can further lower the risk of spreading infection.

Clothing, Towels, Linens, etc. (cont.)

Clean hands immediately after gloves are removed. If no gloves are used when handling dirty laundry, be sure to wash hands afterwards. If possible, do not shake dirty laundry. This will minimize the possibility of dispersing virus through the air.

Laundry items as appropriate in accordance with the manufacturer's instructions. If possible, launder items using the warmest appropriate water setting for the items and dry items completely. Dirty laundry from an ill person can be washed with other people's items.

Clean and disinfect clothes hampers according to guidance above for surfaces. If possible, consider placing a bag liner that is either disposable (can be thrown away) or can be laundered.

Hand Hygiene

Household members should clean hands often, including immediately after removing gloves and after contact with an ill person, by washing hands with soap and water for 20 seconds. If soap and water are not available and hands are not visibly dirty, an alcohol-based hand sanitizer that contains at least 60% alcohol may be used. However, if hands are visibly dirty, always wash hands with soap and water.



Household members should follow normal preventive actions while at work and home including recommended hand hygiene and avoiding touching eyes, nose, or mouth with unwashed hands.

Additional key times to clean hands include:

- After blowing one's nose, coughing, or sneezing
- After using the restroom
- Before eating or preparing food
- After contact with animals or pets
- Before and after providing routine care for another person who needs assistance (e.g. a child)

Other Preventive Actions

Besides cleaning your home and clinics more frequently, take everyday preventive actions:

- Wash your hands frequently.
- Avoid touching your eyes, nose, and mouth.
- Stay home when you are sick.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash.
- Clean and disinfect frequently touched objects and surfaces.
- Be prepared if your child's school or childcare facility is temporarily dismissed or for potential changes at your workplace.